

DAFTAR PUSTAKA

- Adegoke, B. O., Sanya, A. O., Ogunlade, S. O., & Olagbegi, O. M. (2019). The effectiveness of open versus closed kinetic chain exercises on pain, function and range of motion in patients with knee osteoarthritis. *Baltic Journal of Health and Physical Activity*, 11(3), 39–52. <https://doi.org/10.29359/BJHPA.11.3.05>
- Allen, K. D., Thoma, L. M., & Golightly, Y. M. (2022). Epidemiology of osteoarthritis. *Osteoarthritis and Cartilage*, 30(2), 184–195. <https://doi.org/10.1016/j.joca.2021.04.020>
- Astuti, A. B. S., Halimah, N., Wardoyo, P., & Pradita, A. (2021). Pengaruh open kinetic chain exercise terhadap peningkatan kemampuan fungsional pada kondisi osteoarthritis knee di RSUD Gambiran Kota Kediri. *Jurnal Penelitian Kesehatan Suara Forikes*, 12(November), 164–167.
- Ayu, I., & Suadnyana, A. (2021). Keseimbangan dinamis terhadap aktivitas fungsional pada lansia dengan osteoarthritis genu di puskesmas tegallalang. 3(1), 15–25.
- Bimantara, M. A., & Ariyanto, A. (2024). Perbedaan pengaruh latihan closed kinetic chain dan open kinetic chain terhadap peningkatan kemampuan Fungsional pada lansia penderita Osteoarthritis knee. *Prosiding Seminar Nasional Penelitian Dan Pengabdian Kepada Masyarakat*, 2(28), 1181–1187.
- Brunner, & Suddarth. (2013). *Keperawatan Medikal Bedah* (12th ed.). Penerbit Buku Kedokteran.
- Centers for Disease Control and Prevention. (2017). Timed Up & Go (TUG). *Stopping Elderly Accidents, 2017 Deaths & Injuries*, 1.
- Delmore, R. J., Laudner, K. G., & Torry, M. R. (2014). Adductor longus activation during common hip exercises. *Journal of Sport Rehabilitation*, 23(2), 79–87. <https://doi.org/10.1123/JSR.2012-0046>
- Ehtisham ul Haq Raza, M., Hassan, Z., Edwin, W., Faisal, S., Saleem, F., & Hayyat, M. (2022). Effects of Open and Closed Chain Exercises on Dynamic Balance and Range of Motion in Patients with Knee Osteoarthritis: RCT. *Pakistan Journal of Medical and Health Sciences*, 16(11), 174–176. <https://doi.org/10.53350/pjmhs20221611174>
- Hendrik, Hasbiah, & Hamda, I. F. (2022). Efek Latihan Open Kinetic Chain Dan Close Kinetic Chain Pada Penderita Osteoarthritis: A Literature Review. *Indonesian Journal of Physiotherapy Research and Education*, 3(2), 41–48.
- Kim, M. K., & Yoo, K. T. (2017). *The effects of open and closed kinetic chain exercises on the static and dynamic balance of the ankle joints in young healthy women*. 845–850.
- Kisner, C., & Colby, Lynn allen. (2016). *Terapi Latihan: Dasar dan Teknik* (6th ed.). Penerbit Buku Kedokteran.
- Kwon, Y. J., Park, S. J., Jhon, J., & Kim, K. (2013). *The Effect of Open and Closed Kinetic Chain Exercises on Dynamic Balance Ability of Normal Healthy Adults*. 671–674.
- Maharani, S. Y., & Sidarta, N. (2023). Hubungan Antara Osteoarthritis Genu Dan

- Fleksibilitas Pada Lansia. *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, 8(2), 345–356. <https://doi.org/10.25105/pdk.v8i2.15983>
- Mas'ud, E. M., Hasbiah, H., & Hendrik. (2021). The Effect of Straight Leg Raise Exercise with Static Bicycles on Increasing Quadriceps Muscle Strength in Knee Osteoarthritis Patients. *Health Notions*, 5(4), 129–133. <https://doi.org/10.33846/hn50404>
- Mumpuni, Y., & Priharti. (2017). *Deteksi Osteoarthritis VS Osteoporosis*. Rapha Publishing.
- Nurhanifah, D., & Sari, R. T. (2022). *Manajemen Nyeri Nonfarmakologis*. UrbanGreen Central Media. https://books.google.co.id/books/about/Manajemen_Nyeri_Nonfarmakologi.html?i d=K0ahEAAAQBAJ&redir_esc=y
- O'Neill, T. W., & Felson, D. T. (2018). Mechanisms of Osteoarthritis (OA) Pain. *Current Osteoporosis Reports*, 16(5), 611–616. <https://doi.org/10.1007/s11914-018-0477-1>
- Olagbegi, O. M., Adegoke, B. O., & Odole, A. C. (2017). *Effectiveness of three modes of kinetic- chain exercises on quadriceps muscle strength and thigh girth among individuals with knee osteoarthritis*. 7(9), 1–11. <https://doi.org/10.1186/s40945-017-0036-6>
- Özüdoğru, A., & Gelecek, N. (2023). Effects of closed and open kinetic chain exercises on pain, muscle strength, function, and quality of life in patients with knee osteoarthritis. *Revista Da Associacao Medica Brasileira*, 69(7), 1–7. <https://doi.org/10.1590/1806-9282.20230164>
- Penguatan, E., Pada, Q., Penderita, L., Lutut, O., Puskesmas, D., Malang, C., Yuliansyah, F., Rahim, A. F., & Oktavianto, D. (2024). *Quadriceps Strengthening Education for Elderly with Knee Osteoarthritis in Cisadea Public Health Center Malang*. 8(3), 35–38.
- Pinzon, R. T. (2016). *Pengkajian Nyeri*. Betha Grafika.
- Pratiwi, M. G., Utomo, B., & Ghufroni, A. (2023). Pengaruh Resistance Exercise Menggunakan Theraband Terhadap Peningkatan Keseimbangan Dinamis Lansia. *Jurnal STIKES Bethesda*, 2(1), 338–348.
- Prio, A. Z., Misbah, S. R., & Wijayati, F. (2017). Pengaruh Latihan Gerak Aktif Kaki dengan Teknik Open Kinetic Chain Exercise terhadap Penurunan Intensitas Nyeri pada Lansia dengan Nyeri Sendi Osteoarthritis dan Rheumatoid. *HIJP : HEALTH INFORMATION JURNAL PENELITIAN*, 9(1), 15–25.
- Riskesdas. (2018). *Laporan Riskesdas 2018 Nasional* (p. 175). Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Segal, N. A., Nilges, J. M., & Oo, W. M. (2024). Sex differences in osteoarthritis prevalence, pain perception, physical function and therapeutics. *Osteoarthritis and Cartilage*, 32(9), 1045–1053. <https://doi.org/10.1016/j.joca.2024.04.002>
- Sjamsuhidajat, R., Kanardiharja, W., Prasetyono, T. O., & Rudirman, R. (2015). *Buku Ajar Ilmu Bedah* (3rd ed.). EGC.
- Suadnyana, A., Nurmawan, S., & Muliarta, I. M. (2015). Core Stability Exercise Meningkatkan Keseimbangan Dinamis Lanjut Usia di Banjar Bebenan. *Fakultas Kedokteran Universita Udayana*.

- Swastini, N. P., Ismunandar, H., Wintoko, R., Hadibrata, E., & Djausal, A. N. (2022). Faktor Resiko Osteoarthritis Risk Factors For Osteoarthritis. *Journal Medula*, 12(April), 49–54.
- Wahyuningsih, A., Erwin, & Nurchayati, S. (2020). Pengaruh senam rematik terhadap intensitas nyeri sendi pada penderita osteoarthritis. *Jurnal Ners Indonesia*, 11(1), 16–24.
- Wardojo, S. S. I. (2022). *Osteoarthritis Pada Lansia*. CV. Lterasi Nusantara Abadi.
- Wei, H. N., Jamaludin, N. I., Nadhirah, F., Sahabuddin, A., Rahman, S. A., Shokri, A. A., & Shahrudin, S. (2022). *Comparison of the open kinetic chain and closed kinetic chain strengthening exercises on pain perception and lower limb biomechanics of patients with mild knee osteoarthritis : a randomized controlled trial protocol*. 1–11.
- WHO. (2023). *Osteoarthritis*. <https://www.who.int/news-room/fact-sheets/detail/osteoarthritis>
- Wicaksono, M. B. E., Swandari, A., & Siwi, K. (2023). Pengaruh Latihan Penguatan Abduktor Hip Terhadap Penurunan Nyeri pada Wanita Dengan Osteoarthritis Lutut. *Jurnal Ilmiah Fisioterapi Muhammadiyah (JarFisMU)*, 2(2), 13–20.
- Widianti, A. T., & Suryono. (2017). *Catatan Kuliah Kebutuhan Dasar Manusia (KDM)*. Nuha Medika.
- Wilk, K. E., Arrigo, C. A., Bagwell, M. S., & Finck, A. N. (2021). Considerations with open kinetic chain knee extension exercise following acl reconstruction. *International Journal of Sports Physical Therapy*, 16(1), 282–284. <https://doi.org/10.26603/001c.18983>
- Yulistanti., Y., Anggraini, Y., Pranatha, A., Kurwiyah, N., Karyatin, Maria, D., Sudarta, I. M., Utami, R. A., Ninuk, D. P., Tendean, A. F., & Nasution, R. A. (2023). Keperawatan Gerontik. In *Angewandte Chemie International Edition*, 6(11), 951–952. Yayasan Kita Menulis.